

ST3 Concrete

A medium-strength mix for structural groundwork and paving.

Strength & Composition:

- Compressive Strength: 10–15N/mm² at 28 days
- Cement Content: 200–250 kg/m³
- Mix Proportions: 1:2:4 (Cement : Fine Aggregate : Coarse Aggregate)
- Water-reducing admixture (WRA) for better compaction
- Slump Classes: S1 / S2 – Standard placement