

**FOR INFORMATION**








**PROJECT**  
**M181 TERMINAL JUNCTION**

**CLIENT**

**CONSULTANT**  
 AECOM  
 Citypoint 2, 25 Tyndrum Street  
 Glasgow, G4 0JY  
 0141 354 5600 tel 0141 354 5601 fax  
 www.aecom.com


- NOTES**
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DOCUMENTATION. DO NOT SCALE FROM THIS DRAWING. USE ONLY PRINTED DIMENSIONS
  - ALL DIMENSIONS IN MILLIMETRES. ALL CHAINAGES, LEVELS AND COORDINATES ARE IN METRES UNLESS DEFINED OTHERWISE.
  - DETAILS ARE REFERENCED THUS:

- CONTRACTOR TO REPLACE EXISTING SOUTHERN PARAPET WITH NEW VGAN 506 PARAPET OVER THE SAME LENGTH. THE POST LOCATIONS OF THE REPLACEMENT PARAPET TO MATCH THE EXISTING PROVIDING EXPANSION JOINTS AT THE SAME LOCATIONS. VGAN 506 PARAPET TO BE SUPPLIED INCLUDING ALL RELEVANT CERTIFICATION IN ACCORDANCE WITH SHW SERIES 0400. THE INSTALLATION OF VGAN 506 PARAPET TO BE CARRIED OUT IN ACCORDANCE WITH THE MANUFACTURERS SPECIFICATION.
- VGAN 506 PARAPET TO HAVE NEW HOLDING DOWN BOLTS.
- CROSSFALL GRADIENTS OF FOOTWAY SHOWN IN DETAIL C ARE FOR A TYPICAL SECTION. EXACT GRADIENTS TO BE DETERMINED ON SITE AND CONFIRMED WITH THE DESIGN OFFICE.
- METHODOLOGY FOR NEW CARRIAGEWAY RE-SURFACING TO BE DETERMINED ON SITE AND CONFIRMED WITH THE DESIGN OFFICE.
- CARE SHALL BE TAKEN TO AVOID PENETRATING THE EXISTING DECK WATERPROOFING. WATERPROOFING TO BE INSPECTED AND ANY DAMAGE SHALL BE REPAIRED IN ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATION AND SUBJECT TO THE APPROVAL OF THE SUPERVISOR.
- THE COMBINED KERB DRAINAGE SYSTEM AND CHANNEL DRAINAGE SYSTEM SHALL BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATION.



**ISSUE/REVISION**

NO	DATE	DESCRIPTION
P02	2017/02/17	FOR INFORMATION
P01	2017/01/20	FOR INFORMATION
1/R		



**PROJECT NUMBER**  
 60495832

**SHEET TITLE**  
 BURRINGHAM ROAD BRIDGE  
 PROPOSED ALTERATIONS  
 GENERAL ARRANGEMENT

**SHEET NUMBER**  
 60495832-M181-DRG-000431

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.