


- NOTES:**
1. THESE NOTES ARE INTENDED TO AUGMENT DRAWINGS AND SPECIFICATIONS. WHERE CONFLICT OF REQUIREMENTS EXIST THE ORDER OF PRECEDENCE SHALL BE AS SHOWN IN THE SPECIFICATION, OTHERWISE THE STRICTEST PROVISION SHALL GOVERN.
 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ENGINEERS AND ARCHITECTS DRAWINGS.
 3. DRAWINGS NOT TO BE SCALED. ALL DIMENSIONS TO BE CHECKED ON SITE BY THE CONTRACTOR. ANY DISCREPANCIES TO BE NOTIFIED TO THE ENGINEER AND FURTHER INSTRUCTIONS OBTAINED BEFORE WORK IS COMMENCED.
 4. THE STRUCTURE IS DESIGNED TO BE SELF-SUPPORTING AND STABLE AFTER THE BUILDING IS FULLY COMPLETED. IT IS THE CONTRACTORS SOLE RESPONSIBILITY TO DETERMINE THE ERECTION PROCEDURE AND SEQUENCE AND ENSURE THAT THE BUILDING AND ITS COMPONENTS ARE SAFE DURING ERECTION. THIS INCLUDES THE ADDITION OF WHATEVER TEMPORARY BRACING, GUYS OR TIE-DOWNS WHICH MAY BE NECESSARY. SUCH MATERIAL REMAINING THE PROPERTY OF THE CONTRACTOR ON COMPLETION AND FOR ENSURING THAT THE WORKS AND ANY ADJACENT PROPERTIES ARE SAFE IN THE TEMPORARY CONDITION.

- LAKE NOTES**
1. SLOPE REINFORCEMENT TO BE PROVIDED AS NECESSARY, BASED ON GROUND CONDITIONS, SURCHARGE LOADING, SLOPE ANGLE AND STORAGE VOLUME REQUIRED.
 2. LAKE AND OTHER SUDS SHOULD BE LINED WITH IMPERMEABLE MEMBRANE TO PREVENT GROUNDWATER/SUBSURFACE WATER INGRESS AND TERMINATED AT BANK TOP VIA AN ANCHOR TRENCH.
 3. INLET AND OUTLET HEADWALLS TO BE PRECAST CONCRETE UNITS, PROVIDED WITH PROTECTIVE BASKET GRILLES OVER PIPE CONNECTION WHERE PIPE IS LARGER THAN 3500. HEADWALLS TO BE PROVIDED WITH HANDRAILS AROUND TOP AND SIDES.
 4. EDGE PROTECTION TO PREVENT ERRANT ACCESS TO BASINS REQUIRED.
 5. SUDS BASINS MAY BE PLANTED TO SUIT ECOLOGIST AND LANDSCAPING REQUIREMENTS TO ENCOURAGE FLORA, FAUNA AND HABITAT CREATION.
 6. TREATMENT AND/OR OXYGENATION OF LAKE MAY BE REQUIRED TO ENHANCE WATER QUALITY.
 7. LAKE AND OTHER SUDS TO BE PROTECTED FROM EROSION FROM INCOMING AND OUTGOING FLOWS.
 8. CONTRACTOR TO PROVIDE OPERATION AND MAINTENANCE REQUIREMENTS FOR DRAINAGE AND SUDS FEATURES.
 9. FOR LAKE, IMPERMEABLE LINER/MEMBRANES TO BE BENTOFIX X2 GEOSYNTHETIC CLAY LINER, OR SIMILAR APPROVED.
 10. ALL IMPERMEABLE LINER/MEMBRANE JOINTS TO BE WATERTIGHT.

- LAKE FEASIBILITY STAGE NOTES**
1. ALLOWANCE TO BE MADE AT DETAILED DESIGN FOR STRUCTURES WITHIN LAKE, E.G. JETTY, BOARDWALK (DESIGN BY OTHERS).
 2. CURRENTLY NO ALLOWANCE FOR BEACH TYPE FEATURES OR MARGIN.
 3. PLANTING AND SOFT LANDSCAPING TO SUIT ECOLOGICAL/LANDSCAPE REQUIREMENTS.
 4. CURRENTLY NO ALLOWANCE FOR IME, POWER, LIGHTING, TELEMETRY, OR MONITORING AT THIS STAGE.
 5. NO ALLOWANCE FOR SAFETY BENCH AROUND LAKE.


P1	FIRST ISSUE	07.02.23	JP	JAG	JAG
Rev	Description	Date	By	Chk	App



Alan Wood & Partners

<p>Sheffield Office Hallamshire House Meadow Court Hayland Street Sheffield S9 1BY</p> <p>T. 01142 440077 www.alanwood.co.uk</p>	<p>Consulting Civil & Structural Engineers Project Managers Building Surveyors</p> <p>Hull T. 01482 442138 Lincoln T. 01522 300210 London T. 02071 860761 Scarborough T. 01723 865484 York T. 01904 611594 Leeds T. 01135 311098</p>
--	--

Project:	Proposed Residential Development at Lincolnshire Lakes, Burringham Road					
Client:	Keepmoat Homes					
Drawing:	Proposed Lake Section - Alternate Shallow Lake Option					
Role:	CIVIL ENGINEER					
Drawing Status:	WORK IN PROGRESS					
Job. no.	45822	Scale@ A1: As Noted	Rev. P1			
Project	Originator	Volume	Level	Type	Role	Number
KPLL	- AWP	- ZZ	- XX	- SK	- C	- 0008



**TYPICAL SECTION THROUGH PROPOSED LAKE
(SCALE 1:25)**