

LE 1.1 AMENITY GRASS SEED MIX  
Sowing rate of 35g/m<sup>2</sup>

Species	Percentages (%)
Agrostis capillaris	10
Festuca rubra ssp rubra	20
Festuca longifolia	30
Lolium perenne	25
Poa compressa	10
Trifolium repens	5

LE1.3a - SPECIES RICH GRASSLAND  
Sowing rate of 5g/m<sup>2</sup>

Species	Percentages (%)
<b>Wild Flowers</b>	
Achillea ptarmica	1
Angelica sylvestris	2
Caltha palustris	0.1
Eupatorium cannabinum	0.6
Filipendula ulmaria	3
Geum rivale	1
Hypericum tetrapterum	0.4
Iris pseudacorus	4
Lotus pedunculatus	1
Lycopus europaeus	0.8
Lythrum salicaria	0.6
Mentha aquatica	0.1
Pulicaria dysenterica	0.1
Ranunculus acris	2.5
Scrophularia auriculata	0.1
Scutellaria galericulata	0.1
Silene flos-cuculi	1
Succisa pratensis	1
Vicia cracca	0.6
<b>Grasses</b>	
Agrostis capillaris	10
Alopecurus pratensis	2
Anthoxanthum odoratum	2
Briza media	1
Cynosurus cristatus	36
Deschampsia cespitosa	1
Festuca rubra	24
Hordeum secalinum	1
Schedonorus pratensis (Festuca pratensis)	7

**NOTES**

THE HANDLING OF PLANTS TO BE IN ACCORDANCE WITH NATIONAL PLANT SPECIFICATION 'HANDLING AND ESTABLISHING LANDSCAPE PLANTS'.

ALL PLANTS AND PLANTING OPERATIONS ARE TO COMPLY WITH THE REQUIREMENTS AND RECOMMENDATIONS OF ALL CURRENT RELEVANT BRITISH STANDARD SPECIFICATION INCLUDING:

- BS 3936-1:1992 - NURSERY STOCK SPECIFICATION FOR TREES AND SHRUBS
- BS 3882:2015 - SPECIFICATION FOR TOPSOIL AND REQUIREMENTS FOR USE
- BS 4428:1989 - CODE OF PRACTICE FOR GENERAL LANDSCAPE OPERATIONS (EXCLUDING HARD SURFACES)
- BS 5837:2012 - TREES IN RELATION TO DESIGN, DEMOLITION AND CONSTRUCTION - RECOMMENDATIONS
- BS 7370-3:1991 - GROUND MAINTENANCE. RECOMMENDATIONS FOR MAINTENANCE OF AMENITY AND FUNCTIONAL TURF
- BS 8545: 2014 - TREES: FROM NURSERY TO INDEPENDENCE IN THE LANDSCAPE - RECOMMENDATIONS
- BS 8601:2013 SPECIFICATION FOR SUBSOIL AND REQUIREMENTS

ALL PLANTING SPECIFIED SHOULD USE EXISTING GOOD QUALITY SITE WON TOPSOIL AND/OR IMPORTED, CLEAN/INERT HORTICULTURAL AMELIORANTS FROM SUSTAINABLE SOURCES.

ALL PLANTING TO BE CARRIED OUT IN THE OPTIMAL PLANTING PERIOD OCTOBER THROUGH UNTIL MARCH AND DURING APPROPRIATE CLIMATIC CONDITIONS.

WHERE POSSIBLE, WHILST ALLOWING CONSTRUCTION ACTIVITIES, EXISTING TREES WITHIN AND ADJACENT TO THE APPLICATION BOUNDARY ARE TO BE RETAINED AND PROTECTED TO BS 5837:2012

ALL WORKS ARE TO BE CARRIED OUT IN ACCORDANCE WITH THE CONTRACT SPECIFICATION AND THE MANUAL OF CONTRACT DOCUMENTS FOR HIGHWAY WORKS.

ALL RETAINED TREES EXPOSED BY PARTIAL FELLING OF TREE GROUPS / WOODLANDS SHALL BE ASSESSED BY A SUITABLY QUALIFIED ARBORICULTURALIST FOLLOWING TREE WORKS.

WHERE EXISTING TREE CANOPIES EXTEND OVER AREAS OF PROPOSED GRASS, SOIL PREPARATION WILL BE UNDERTAKEN WITH REGARD TO THE PRESENCE OF TREE ROOTS.

LE 1.6 OPEN GRASSLAND  
Sowing rate of 5g/m<sup>2</sup>

Species	Percentages (%)
Agrostis capillaris	10
Festuca rubra ssp rubra	20
Festuca longifolia	30
Lolium perenne	25
Poa compressa	10
Trifolium repens	5

LE1.3b - SPECIES RICH GRASSLAND  
Sowing rate of 5g/m<sup>2</sup>

Species	Percentages (%)
<b>Wild Flowers (EM10F)</b>	
Achillea millefolium	0.5
Agrimonia eupatoria	1.5
Arctium minus	1
Centaurea nigra	2.5
Centaurea scabiosa	1.5
Daucus carota	2
Dipsacus fullonum	1
Galium album - (Galium mollugo)	1
Geranium pratense	0.2
Leucanthemum vulgare	1
Pastinaca sativa	1
Plantago lanceolata	0.4
Pulicaria dysenterica	0.1
Silene dioica	2
Torilis japonica	2
Vicia cracca	0.5
Vicia sativa ssp. segetalis	1.8
<b>Grasses</b>	
Agrostis capillaris	10
Alopecurus pratensis	2
Anthoxanthum odoratum	2
Briza media	1
Cynosurus cristatus	36
Festuca rubra	24
Hordeum secalinum	1
Pleum bertolini	7

LE2.4 - LINEAR TREES AND SHRUBS

Species	Percentages (%)	Height (cm)	Number of times transplanted	Root Condition	Density	Form
Crataegus monogyna	10	40-60	1+1	BR	2.5m centres	Transplant
Pinus sylvestris	15	30-40	1+2	BR	2.5m centres	Transplant
Quercus robur	20	40-60	1+1	BR	2.5m centres	Transplant
Prunus spinosa	10	40-60	1+1	BR	2.5m centres	Transplant
Betula pendula	15	60-80	1+1	BR	2.5m centres	Transplant
Sambucus nigra	5	40-60	1+1	BR	2.5m centres	Transplant
Sorbus aucuparia	15	40-60	1+1	BR	2.5m centres	Transplant
Ilex aquifolium	10	30-40 C	2.5m centres			

LE2.5 - SHRUBS WITH INTERMITTENT TREES

Species	Percentages (%)	Height (cm)	Number of times transplanted	Root Condition	Density	Form
Crataegus monogyna	5	40-60	1+1	BR	2.5m centres	Transplant
Pinus sylvestris	15	30-40	1+2	BR	2.5m centres	Transplant
Quercus robur	25	40-60	1+1	BR	2.5m centres	Transplant
Prunus spinosa	5	40-60	1+1	BR	2.5m centres	Transplant
Betula pendula	20	60-80	1+1	BR	2.5m centres	Transplant
Sambucus nigra	5	40-60	1+1	BR	2.5m centres	Transplant
Sorbus aucuparia	20	40-60	1+1	BR	2.5m centres	Transplant
Ilex aquifolium	5	30-40		C	2.5m centres	

**Trees**

Species	Percentages (%)	Height (cm)	Girth	Number of times transplanted	Root Condition	Density
Acer pseudoplatanus	15	250-300	8-10	2x	BR	20m centres
Betula pendula	20	250-300	8-10	2x	BR	20m centres
Alnus cordata	65	250-300	8-10	2x	BR	20m centres

LE2.6 - SHRUBS

Species	Percentages (%)	Height (cm)	Number of times transplanted	Root Condition	Density	Form
Crataegus monogyna	20	40-60	1+1	BR	1.5m centres	Transplant
Corylus avellana	50	40-60	1+1	BR	1.5m centres	Transplant
Ilex aquifolium	5	30-40	1+1	BR	1.5m centres	Leader with laterals
Prunus spinosa	15	40-60	1+1	BR	1.5m centres	Transplant
Rosa canina	10	40-60	1+1	BR	1.5m centres	Transplant

LE4.2 - NATIVE HEDGEROW

Species	Percentages (%)	Height (cm)	Number of times transplanted	Root Condition	Density	Form
Acer campestre	15	40-60	1+1	BR	30cm centres	Transplant
Corylus avellana	15	40-60	1+1	BR	30cm centres	Transplant
Crataegus monogyna	55	40-60	1+1	BR	30cm centres	Transplant
Prunus spinosa	5	40-60	1+1	BR	30cm centres	Transplant
Rosa canina	5	40-60	1+1	BR	30cm centres	Transplant
Prunus spinosa	2	40-60	1+1			

LE5.1 - INDIVIDUAL TREES

Species	Percentages (%)	Height (cm)	Girth	Number of times transplanted	Root Condition	Form
Alnus cordata	10	300-350	12-14	2x	CG	Standard
Quercus robur	70	250-300	12-14	2x	CG	Standard
Tilia x europea	20	300-350	12-14	2x	CG	Standard

**DRAWING SHOULD BE READ IN CONJUNCTION WITH THE BELOW INFORMATION:**

**DRAWING REFERENCE TABLE:**  
**DOCUMENT TITLE**

SITE LAYOUT  
ALIGNMENT PLAN  
CONTOUR PLAN  
CROSS-SECTIONS  
ISOPACHYTE  
SITE CLEARANCE

FENCING  
DRAINAGE  
PAVEMENT  
KERBS AND FOOTWAYS  
ROAD MARKINGS  
TRAFFIC SIGNS  
& FOUNDATION DETAILS  
HIGHWAY LIGHTING  
ELECTRICAL SCHEMATIC  
& STANDARD DETAILS

**DOCUMENT REFERENCE**

SER-AWP-ZZ-01-DR-C-3101-3102  
SER-AWP-ZZ-01-DR-C-3120-3122  
SER-AWP-ZZ-01-DR-C-3130-3131  
SER-AWP-ZZ-01-DR-C-3144  
SER-AWP-ZZ-01-DR-C-3160-3161  
SER-AWP-ZZ-02-DR-C-3101-3102  
& SER-SLDS-ZZ-02-D-C-0201  
SER-AWP-ZZ-03-DR-C-3101-3102  
SER-AWP-ZZ-05-D-C-3601-3605  
SER-AWP-ZZ-07-DR-C-3101-3102  
SER-AWP-ZZ-11-DR-C-3101-3103  
SER-AWP-ZZ-12-DR-C-3101-3102  
SER-AWP-ZZ-12-DR-C-3110-3111 & 3201-3202  
  
SER-SLDS-ZZ-13-D-C-1301  
SER-SLDS-ZZ-14-D-C-1401-1406

SALIX COIR PALLETS


2m x 0.5m x 40 - 50mm(depth) Standard Mix without Glyceria maxima and Phalaris arundinacea

**Species**

Apium nodiflorum - (Fools Watercress)  
Alisma plantago-aquatica - (Water Plantain)  
Carex acutiformis - (Lesser Pond Sedge)  
Carex flacca - (Blue Sedge)  
Caltha palustris - (Marsh Marigold)  
Iris pseudacorus - (Yellow Flag Iris)  
Juncus effusus - (Soft Rush)  
Lycopus europaeus - (Gypsywort)  
Lythrum salicaria - (Purple Loosestrife)  
Myosotis scorpioides - (Water Forget Me Not)  
Mentha aquatica - (Water Mint)  
Ranunculus flammula - (Lesser Spearwort)  
Schoenoplectus lacustris - (Common Club Rush)

NB: All areas are indicative, scaled from plan, and must be checked on site.

NB: See architects drawings for details of boundary treatments. Proposals shown on this drawing for illustration purposes only.



**FOR INFORMATION**

P01	LM	13.03.2026
Rev	Drawn	Date

**Project:**

BURRINGHAM ROAD - EASTERN  
ROUNDBABOUT DESIGN

Client: North Lincolnshire Council

Job No. 8911

Role: Landscape Architect

Drawn: LM Checked: TH

Date: March 2026

Scale: 1:500 at A1

**Drawing:**

**Soft Landscape Planting Schedule  
(Permanent)**

**SER-BRO-ZZ-01-D-L-9006**



Brooks Ecological Ltd, Unit A,  
1 Station Road, Guiseley, LEEDS,  
LS20 8BX  
admin@brooks-ecological.co.uk  
www.brooks-ecological.co.uk  
01943 884451