


NOTES:

- ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE.
- BEDDING AND BACKING TO PRECAST CONCRETE KERBS, CHANNELS, EDGINGS AND QUADRANTS SHALL BE ST 1 AND SHALL COMPLY WITH CL.2602 OF SHW AND APPENDIX 26/1.
- BEDDING MORTARS SHALL COMPLY WITH THE REQUIREMENTS OF APPENDIX 26/2.
- KERB FOUNDATIONS SHALL HAVE HOOPED MILD STEEL BARS 10MM DIAMETER BY 350MM LONG AT 600MM CENTRES WHICH ARE TO BE SET INTO THE FOUNDATION AS THE CONCRETING PROCEEDS TO PROVIDE A KEY FOR THE CONCRETE BACKING.

C01	FOR CONSTRUCTION	20.05.24	GDV	BH	BH
P02	NOTES ADDED	30.11.22	CK	RL	JAG
P01	FIRST ISSUE	29.09.22	CK	RL	JAG
Rev	Description	Date	By	Chk	App



Alan Wood & Partners

<p>York Office Omega 2 Monks Cross Drive York YO32 9GZ</p> <p>T. 01904 611594 www.alanwood.co.uk</p>	<p>Consulting Civil & Structural Engineers Project Managers Building Surveyors</p> <p>Hull T. 01482 442138 Lincoln T. 01522 300210 London T. 02071 860761 Scarborough T. 01723 865484 Sheffield T. 01142 440077 Leeds T. 01135 311098</p>
--	---

Project:	M181/B1450 BURRINGHAM ROAD ROUNDABOUT	
Client:		
Drawing:	KERBS AND FOOTWAYS - STANDARD DETAILS	
Role:	CIVIL ENGINEER	
Drawing Status:	FOR CONSTRUCTION	
Job no. 47603	Scale@ A1: 1:10	Rev. C01
Project Originator Volume Level Type Role Number M181 - AWP - 00 - 11 - DR - D - 0101		