




Axholme South Ward Profile 2021

Part of the North Lincolnshire JSNA

These profiles aim to provide a brief picture of public health outcomes in each of North Lincolnshire's 17 electoral wards.

The information contained within the profiles use the latest published data available at the time of writing.


The profiles should help us understand what factors are driving health improvement in each area. They should also help us identify where resources could be targeted to improve health and wellbeing and reduce health inequalities.




Axholme South ward borders Axholme Central and Axholme North wards to the north, Ridge ward to the east and Doncaster, Nottinghamshire, and Lincolnshire local authorities to the west and south east.

It has a population of 7300 residents, equivalent to 91 per square kilometre, none of which live England's 20% most deprived neighbourhoods. However, more localised pockets of relative deprivation may still be present.

The ward age profile, is slightly older compared to North Lincolnshire overall, showing fewer people aged 20-45 and fewer children under 10. There are also comparatively more people aged between 45 and 84 years.




Population Axholme South vs North Lincolnshire (2019)



At a Glance - Public Health Outcomes for Axholme South Ward

Life Expectancy at Birth




Life expectancy at birth in Axholme South Ward is:

2.9 Years higher for men than the average for North Lincolnshire.

2.2 Years higher for women than the average for North Lincolnshire.

Premature Deaths (<75 years) (%) 2017-19



Between 2017-19 in this ward there were on average, 76 deaths a year, of which 22 were under the age of 75 years of age.

46% The highest proportion of premature deaths were due to cancers (all types). The most common in this ward being due to cancers occurring in the lung

20% The second highest proportion of premature deaths were due to heart and circulatory diseases

15% The third highest proportion were due to external causes - intentional and unintentional harm

19% were due to other causes, which include diseases of the digestive system inc. liver and respiratory diseases.

In this ward:

Incidence of:	Breast Cancer	Colorectal Cancer	Lung Cancer	Prostate Cancer
	is below England average	is below England average	is below England average	is slightly below England average

Deprivation (IMD 2019)

In this ward there are no defined neighbourhoods (LSOAs) ranked within the 20% most deprived in the country.

All LSOAs in this ward are less deprived than average, when compared to England.

The map is coloured according to the national ranking of defined neighbourhoods (LSOAs) in terms of deprivation due to multiple factors including crime, education, employment, environment, health, housing and income



Each defined neighbourhood (LSOA) contains an average of 1500 residents

Wider determinants of health for Axholme South ward

Wider (or social) determinants are a diverse range of social, economic and environmental factors which impact on people's mental and physical health and are strongly linked to social inequalities



Built and Natural Environment

Fuel Poverty	
Axholme South	10.7
North Lincolnshire	9.8
% of households experiencing fuel poverty (2018) (note 1)	



Vulnerability

Children in Need 0-10 years	
Axholme South	113.5
North Lincolnshire	140.4
Rate per 10,000 aged 0-10 (Mar 2020) (note 2)	




Crime

All Recorded Crime	
Axholme South	44.7
North Lincolnshire	106.4
Rate of recorded crime per 1000 people (2019/20)	



Work and the Labour Market

Long-Term Unemployment Rate	
Axholme South	2.2
North Lincolnshire	2.8
Rate per 1,000 working age population (2019/20) (note 3)	



Income

Income Deprivation	
Axholme South	7.6
North Lincolnshire	13.3
English Indices of Deprivation, 2019 (note 4)	




Education

GCSE attainment in English and Maths	
Axholme South	80.0
North Lincolnshire	64.7
% NL school pupils achieving grade 4-9 in English and maths (18/19)	

Notes

- 1: Households that spend a high proportion of combined income to maintain a reasonable temperature
- 2: Children who require local authority services to achieve or maintain a reasonable standard of health or development and prevent significant or further harm.
- 3: People who have been unemployed for 12 months or longer
- 4: The proportion of the population experiencing deprivation related to low income

Life expectancy at birth by ward






Axholme South Ward 2021

Ward Summary

- Axholme South has the third smallest population in North Lincolnshire with proportionally more elderly residents and less children and working age adults when compared to North Lincolnshire as a whole; it also has one of the lowest proportions of children from a minority ethnic background.
- The ward has low rates of children living in low income, over 65s in receipt of pension credit and claimant counts, which are significantly lower than the North Lincolnshire and England averages.
- Rates of recorded crime, violent crime and antisocial behaviour recorded by the police are all some of the lowest in the local authority and significantly lower than North Lincolnshire and England and Wales rates.
- Whilst not significantly different from average, the fertility rate and proportion of mothers initiating breastfeeding are close to North Lincolnshire overall, there have been no low weight babies born and smoking at delivery is slightly below the local value.
- The percentage of children reaching a good level of development (2½ years) is slightly lower than the North Lincolnshire average and school readiness is close, whereas GCSE attainment in English and Maths is the best in North Lincolnshire, significantly exceeding the national figure.
- The rate of children in need in the ward is slightly lower than the local average but not significantly and the rate of children with an early help assessment is third lowest in North Lincolnshire, and is significantly lower than in 2018.
- There are between a fifth and a quarter of children with excess weight in reception which is close to the local average, increasing to nearly a third of year 6 children which is lower than average but not significantly.
- The proportion of working age adults in receipt of Employment and Support Allowance is one of the lowest in North Lincolnshire and significantly below both the local and national rates.
- Whilst admissions for avoidable injury amongst younger children are slightly below the local average, those for older children and younger adults are the second highest in North Lincolnshire, although the differences are not significant.
- Hospital admissions for intentional self-harm are rare and episodes for alcohol specific conditions are the lowest in North Lincolnshire and significantly below the North Lincolnshire and England rates.
- Emergency hospital admissions for working age adults and the elderly are both significantly lower than the overall rate for North Lincolnshire and admissions for coronary heart disease are amongst the lowest in the local authority.
- The rate of over 65s in receipt of attendance allowance is the third lowest in North Lincolnshire and significantly better than the England and North Lincolnshire averages.
- The rate of emergency admissions for falls amongst the elderly is significantly lower than England and admissions for hip fractures are rare.
- Male life expectancy at birth is nearly 3 years above that for North Lincolnshire as a whole and female life expectancy is just over 2 years higher.
- Although not statistically significant, all cause mortality in Axholme South is below the North Lincolnshire average and deaths from causes considered preventable are the third lowest of any ward in the local authority area.
- The rates of premature deaths from coronary heart disease, cancer and respiratory disease are all some of the lowest in North Lincolnshire.
- Just over a half of ward residents die in their usual place of residence which is above average but not significantly.



WARD PROFILE 2021 - Axholme South

Indicators	Period	Ward			All Wards (rate)			Isle (rate)	North Lincs (rate)	England (rate)
		Number	Rate	Direction re 2016/17	Worst / Lowest	← Rank →	Best / Highest			
OUR COMMUNITIES										
Total resident population (%) (a)	2019	7292	4.2	▲	2.2		20.0	13.6	100.0	na
Population density (per km2) (a)	2019	7292	91.2		79.3		4445.4	99.2	196.7	432.0
Resident population 0-19 years (%) (a)	2019	1425	19.5	▼	17.1		29.2	20.6	22.6	23.6
Resident population 20-64 years (%) (a)	2019	3837	52.6	▼	51.4		64.0	55.0	56.1	58.0
Resident population 65+ years (%) (a)	2019	2030	27.8	▲	12.3		30.5	24.4	21.3	18.4
Proportion of population living in 20% most deprived LSOAs (%) (b)	2019	0	0.0	na	64.5		0.0	0.0	21.5	20.0
All police recorded crime (rate per 1,000) (b)	2019/20	326	44.7	▲	306.9		43.8	58.0	106.4	97.2
Violent crime recorded by police (rate per 1,000) (b)	2019/20	104	14.3	▲	75.6		14.3	19.5	32.1	28.3
Antisocial behaviour recorded by police (rate per 1,000) (b)	2019/20	49	6.7	▲	51.9		5.3	7.3	17.7	21.5
Children living in Relative Low Income (aged under 16) (%) (b)	2019/20	162	14.4	▲	36.7		13.0	17.2	23.4	19.1
Claimant Count (rate per 1,000) (b)	Mar 2020	70	16.9	▲	63.8		16.9	21.7	34.7	29.8
Over 65s in receipt of Pension Credit (%) (b)	Aug 2019	164	8.1	▼	21.3		6.1	9.2	12.6	13.6
Resident school age children of minority ethnic groups (%) (a)	Jan 2020	34	4.7	na	2.8		58.9	4.8	15.9	33.2
CHILDREN AND YOUNG PEOPLE'S HEALTH AND WELLBEING										
Live births (general fertility rate) (Fertility rate per 1000 wcba) (a)	2019	51	55.1	▲	42.6		69.7	55.7	56.1	62.5
Low weight births <2500 grams (%) (a)	2019/20	0	0.0		0.0		13.5	5.0	6.8	7.4
Breastfeeding initiation (%) (c)	2019/20	14	66.7	▼	51.3		73.3	66.1	65.1	67.4

WARD PROFILE 2021 - Axholme South

Indicators	Period	Ward			All Wards (rate)			Isle (rate)	North Lincs (rate)	England (rate)
		Number	Rate	Direction re 2016/17	Worst / Lowest	← Rank →	Best / Highest			
Children reaching good level of development (2 1/2 years) (%) (c)	2018/19	42	85.7	na	78.6		95.9	84.6	88.0	84.1
Readiness for school at 5 years of age (%) (c)	2018/19	40	72.7	▲	59.8		78.4	71.9	71.7	71.8
Children (u16) in receipt of DLA (%) (a)	Nov 2019	43	3.8	na	3.0		5.6	3.8	3.9	4.1
Children with excess weight at 5 years of age (%) (b)	2019/20	10	22.2	▲	33.3		15.4	21.1	23.0	23.0
Children with excess weight at 11 years of age (%) (b)	2019/20	20	30.8	▲	52.9		23.1	30.6	35.8	35.2
GCSE attainment (4-9) in English and Maths (%) (c)	2018/19	40	80.0	na	53.5		80.0	76.7	64.7	64.6
Children in Need 0-10 years (rate per 10,000) (b)	End March 2020	8	113.5	na	403.3		*	63.6	140.4	na
Children (0-17) with an Early Help Assessment (rate per 10,000) (a)	End March 2020	*	*	na	*		156.5	68.4	108.0	na
Admissions for avoidable injury (u15s) (rate per 10,000) (b)	2019/20	10	96.0	▲	164.7		*	110.0	106.7	91.2
Emergency admissions for intentional self-harm 10-24 years (per 100,000) (b)	2017/18-2019/20	*	*		326.9		*	139.4	222.8	439.2

ADULT HEALTH AND WELLBEING

Smoking at delivery (%) (b)	2019/20	*	*	▼	30.8		*	9.1	16.7	10.4
Admissions for avoidable injury (15-24s) (rate per 10,000) (b)	2019/20	10	144.7	▲	189.4		*	139.1	105.1	132.1
Persons in receipt of Employment and Support Allowance (ESA) (20-64 years) (%) (b)	Nov 2019	136	3.5	▼	7.8		3.2	3.7	4.7	4.7
Admissions for CHD (all ages) (DSR per 100,000) (b)	2019/20	50	483.8	na	1074.4		399.9	596.2	705.7	469.9
Admission episodes for alcohol specific conditions (DSR per 100,000) (b)	2019/20	15	150.6	▼	1124.8		150.6	191.3	517.1	644.0
Emergency admissions for intentional self-harm (DSR per 100,000) (b)	2019/20	*	62.5	▼	303.0		46.9	70.2	155.3	192.6

WARD PROFILE 2021 - Axholme South

Indicators	Period	Ward			All Wards (rate)			Isle (rate)	North Lincs (rate)	England (rate)
		Number	Rate	Direction re 2016/17	Worst / Lowest	← Rank →	Best / Highest			
Emergency hospital admissions (18-64 yrs) (rate per 10,000) (b)	2019/20	260	651.8	▲	1194.7		620.5	650.5	820.0	na
Emergency hospital admissions (65+yrs) (rate per 10,000) (b)	2019/20	450	2216.7	▼	3802.9		1873.7	2172.8	2679.0	na
Over 65s in receipt of attendance allowance (%) (b)	Aug 2019	206	10.1	▲	16.5		8.6	10.5	12.0	11.7
Emergency admissions for falls 65+ (DSR per 100,000) (b)	2019/20	25	1280.1	▼	3455.5		852.6	1134.9	1575.3	2222.0
Emergency admissions for hip fracture 65+ (DSR per 100,000) (b)	2019/20	*	303.9	▼	1738.3		121.9	340.3	580.2	572.0

LIFE EXPECTANCY AND MORTALITY

Male life expectancy at birth (years) (c)	2017-2019	na	81.8	▲	74.6		84.3	80.4	78.9	79.8
Female life expectancy at birth (years) (c)	2017-2019	na	84.8	▲	79.3		87.4	85.0	82.6	83.4
All cause mortality (all ages) (DSR per 100,000) (a)	2017-2019	228	866.4	▼	721.9		1395.5	868.1	1007.9	0.0
Deaths from causes considered preventable (2016 definition) (DSR per 100,000) (b)	2017-2019	35	129.3	▼	316.4		105.6	155.6	192.3	180.8
Premature (u75yrs) deaths from cancer (DSR per 100,000) (b)	2017-2019	30	110.7	▲	180.8		87.3	118.4	136.9	129.2
Premature (u75yrs) deaths from coronary heart diseases (CHD) (DSR per 100,000) (b)	2017-2019	*	25.5	▼	73.1		8.6	37.6	37.1	37.5
Premature (u75yrs) deaths from respiratory disease (DSR per 100,000) (b)	2017-2019	10	33.6	▲	98.6		16.8	38.2	45.3	34.2
Percentage of deaths in usual place of residence (65+ years) (%) (c)	2019	35	52.2	▲	35.3		60.7	47.3	48.3	0.0

Statistical significance of rates relative to North Lincolnshire average (95% CI)

■ Better
 ■ Worse
 ■ Lower
 ■ Higher

The chart shows the appropriate rate for each ward with the profiled ward highlighted in black. Where shown, the horizontal line represents the North Lincolnshire average rate. The direction of travel is relative to the last set of published profiles - in this case 2016/17. * Numbers of 7 or less and associated crude rates or proportions have been suppressed. Higher rate values can be categorised as (a) higher than average; (b) worse than average; (c) better than average.

Indicator	Metadata Details 2021
-----------	-----------------------

OUR COMMUNITIES	
Total resident population	Period - 2019; Rate: %; Numerator: Area resident population (persons, all ages), ONS 2019; Denominator: North Lincolnshire resident population (persons, all ages) , ONS 2019
Population density	Period - 2019; Rate: per km2; Numerator: Area resident population (persons, all ages), ONS 2019; Denominator: Geographical area , OS 2019
Resident population 0-19 years	Period - 2019; Rate: %; Numerator: Area resident population (persons, 0-19yrs), ONS 2019; Denominator: Area resident population (persons, all ages) , ONS 2019
Resident population 20-64 years	Period - 2019; Rate: %; Numerator: Area resident population (persons, 20-64yrs), ONS 2019; Denominator: North Lincolnshire resident population (persons, all ages) , ONS 2019
Resident population 65+ years	Period - 2019; Rate: %; Numerator: Area resident population (persons, 65+yrs), ONS 2019; Denominator: North Lincolnshire resident population (persons, all ages) , ONS 2019
Proportion of population living in 20% most deprived LSOAs	Period - 2019; Rate: %; Numerator: Area population living in 2 most deprived national deciles (IMD 2019) (persons), ONS 2019; Denominator: Population living in North Lincolnshire (persons, all ages) , ONS 2019
All police recorded crime	Period - 2019/20; Rate: rate per 1,000; Numerator: crimes recorded by police, Police Data 2019/20; Denominator: Population living in North Lincolnshire (persons, all ages) , ONS 2019; Notes: England and Wales figure from Crime in England and Wales: year ending March 2020 - other related tables, Figure 1: Police recorded crime and anti-social behaviour incidents in England and Wales, March 2008 to year end March 2020. Previous data from 16/17 from different source so may not be comparable.
Violent crime recorded by police	Period - 2019/20; Rate: rate per 1,000; Numerator: number of 'violence against the person' crimes recorded by police, Police Data 2019/20; Denominator: Population living in North Lincolnshire (persons, all ages) , ONS 2019; Notes: England and Wales figure from: Crime in England and Wales, Year Ending March 2020. Summary Table 3: Police recorded crimes - rate number percentage change for year ending march 2020. Previous data from 16/17 from different source so may not be comparable.
Antisocial behaviour recorded by police	Period - 2019/20; Rate: rate per 1,000; Numerator: Number of Antisocial behaviour related crimes recorded by police, Police Data 2019/20; Denominator: Population living in North Lincolnshire (persons, all ages) , ONS 2019; Notes: England and Wales Figures from: Crime in England and Wales: Year Ending March 2020 - Other Related Tables Figure 1: Police recorded crime and anti-social behaviour incidents in England and Wales, year ending March 2020. Figure does not include British Transport Police anti-social behaviour incidents. Previous data from 16/17 from different source so may not be comparable.
Children living in Relative Low Income (aged under 16)	Period - 2019/20; Rate: %; Numerator: Children living in Relative Low Income (aged under 16), DWP 2019/20; Denominator: Area resident population (persons, 0-15yrs) , ONS 2019; Notes: 2019/20 provisional figures. Relative low-income is defined as a family whose equivalised income is below 60 per cent of contemporary median income. Gross income measure is Before Housing Costs (BHC) and includes contributions from earnings, state support and pensions. Total of figures from each ward does not match North Lincolnshire figure due to statistical disclosure controls applied by the DWP. England Figures from Fingertips, PHE.
Claimant Count	Period - Mar 2020; Rate: rate per 1,000; Numerator: Claimant Count, NOMIS Mar 2020; Denominator: Area resident population (persons, 16-64yrs) , ONS 2019; Notes: Under Universal Credit a broader span of claimants are required to look for work than under Jobseeker's Allowance. As Universal Credit Full Service is rolled out in particular areas, the number of people recorded as being on the Claimant Count is therefore likely to rise. This experimental series counts the number of people claiming Jobseeker's Allowance plus those who claim Universal Credit and are required to seek work and be available for work, and replaces the number of people claiming Jobseeker's Allowance as the headline indicator of the number of people claiming benefits principally for the reason of being unemployed. All data are rounded to the nearest 5 and may not precisely add to the sum of the number of people claiming JSA, published on Nomis, and the number of people claiming Universal Credit required to seek work, published by DWP, due to independent rounding. Population data for Mar 17 from is 2016 mid year population estimates.

Indicator	Metadata Details 2021
-----------	-----------------------

Over 65s in receipt of Pension Credit	Period - Aug 2019; Rate: %; Numerator: Number of individuals receiving pension credit (65+), Statxplorer (DWP) Aug 2019; Denominator: Area resident population 65+ , ONS 2019; Notes: The data is rounded to the nearest 5 and there is small number suppression on small area data.
Resident school age children of minority ethnic groups	Period - Jan 2020; Rate: %; Numerator: Children in local schools, in R - Yr 11 resident in LA, with ethnicity not within White British groupings, School Census Jan 2020; Denominator: All resident children in local schools , School Census Jan 20; Notes: North Lincolnshire and ward figures include pupils in referral units and special schools who are in reception to year 11. England figure from Jan 2020 (latest published data) is total of primary and secondary school pupils. This includes pupils who are below reception age and in years 12 to 14 who are attending primary or secondary schools. Previous England figure is from January 2017 and only includes compulsory school age primary and secondary pupils, who were in reception to year 11. The equivalent figure for January 2020 is no longer available due to changes in the way the data is published.

CHILDREN AND YOUNG PEOPLE'S HEALTH AND WELLBEING

Live births (general fertility rate)	Period - 2019; Rate: Fertility rate per 1000 wcb; Numerator: Live births to area resident mothers, ONS 2019; Denominator: Area resident women of child bearing age population (female, 15-44yrs) , ONS 2019; Notes: England figure latest available from 2016, from Fingertips (PHE)
Low weight births <2500 grams	Period - 2019/20; Rate: % ; Numerator: Live births to area resident mothers where birth weight is <2500 grams (NLAG), NLAG 2019/20; Denominator: All live births to area resident mothers , NLAG 2019/20; Notes: Regional and national figures are from Fingertips, PHE and relate to 2018 calendar year. More recent data and data for financial year is not available.
Breastfeeding initiation	Period - 2019/20; Rate: %; Numerator: Number of area resident mothers who initiate breastfeeding during first 48 hours after delivery (PHOF formerly 2.02i), NLAG May 17; Denominator: All deliveries to area resident mothers , NLAG 2019/20; Notes: Regional and England figure relate to 2018/19 which is the latest information available.
Children reaching good level of development (2 1/2 years)	Period - 2018/19; Rate: %; Numerator: Number of area resident children who passed all five elements of their 2.5 year health and development review, RDaSH 2018/19; Denominator: Number of area resident children who completed 2.5 year health and development review , RDaSH 2018/19; Notes: Calculated figure for North Lincolnshire differs slightly from official figure of 88.1% on fingertips for 2018/19.
Readiness for school at 5 years of age	Period - 2018/19; Rate: %; Numerator: rate of children achieving A Good Level of Development at the end of reception as % all like aged pupils (PHOF B02a), NCER 2018/19; Denominator: Resident Children attending local schools reaching age 5 by end of School Year , NCER 2018/19; Notes: The North Lincolnshire average is from published data does not correspond with the totals from each ward.
Children (u16) in receipt of DLA	Period - Nov 2019; Rate: %; Numerator: Persons in receipt of Disability Living Allowance (0-15 years) (cases in payment), Statxplorer (DWP) Nov 2019; Denominator: Area resident population (persons, 0-15yrs) , ONS 2019; Notes: Calculated North Lincolnshire figure used from total of ward numbers. This differs from the published North Lincolnshire figure (1263 claimants) due to the disclosure control applied by the DWP. Comparator year not available as prior to May 2018 ward geography is not available.
Children with excess weight at 5 years of age	Period - 2019/20; Rate: %; Numerator: Resident children with excess weight (overweight or obese) at 5 years of age (PHOF C09a), PHE 2019/20; Denominator: Resident 4-5 year olds participating in NCMP , PHE 2019/20; Notes: North Lincs figures are from Fingertips, PHE.
Children with excess weight at 11 years of age	Period - 2019/20; Rate: % ; Numerator: Resident children with excess weight (overweight or obese) at 11 years of age (PHOF C09b), PHE 2019/20; Denominator: Resident 10-11 year olds participating in NCMP , PHE 2019/20; Notes: North Lincolnshire average is from fingertips, PHE. Total numbers from each ward do not match published figures due to rounding.

Indicator	Metadata Details 2021
-----------	-----------------------

GCSE attainment (4-9) in English and Maths	Period - 2018/19; Rate: %; Numerator: Pupils achieving 4+ in both English and Maths GCSE examinations, NCER 2018/19; Denominator: Pupils entered for GCSE examinations in N Lincs schools , NCER 2018/19; Notes: The 2018/19 data for North Lincolnshire is provisional data. North Lincolnshire figure is from NCER and does not match published figure of 65.1% (1088 pupils). The England figure is for all state-funded schools from the 2019 KS4 revised national tables published by the DfE.
Children in Need 0-10 years	Period - End March 2020; Rate: rate per 10,000; Numerator: Children in Need aged 0-10, NLC End March 2020; Denominator: Area resident population (persons, 0-10yrs) , ONS 2019; Notes: Does not include cases marked as other or OLA (child looked after by another authority, living in our authority).
Children (0-17) with an Early Help Assessment	Period - End March 2020; Rate: rate per 10,000; Numerator: Current EHA as at March 31st 2020, aged 0-17, NLC End March 2020; Denominator: Area resident population (persons, 0-17yrs) , ONS 2019
Admissions for avoidable injury (u15s)	Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions for unintentional and deliberate injuries for area residents (0-14yrs) (PHOF C11a), HES 2019/20; Denominator: Area resident population (persons, 0-14yrs) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts
Emergency admissions for intentional self-harm 10-24 years	Period - 2017/18-2019/20; Rate: per 100,000; Numerator: Number of emergency hospital admissions for self harm (HES), HES 2017/18-2019/20; Denominator: Area resident population (persons, 10-24yrs) , ONS 2017-2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts; local data is 3year pooled compared with region and national data which is single year

ADULT HEALTH AND WELLBEING	
Smoking at delivery	Period - 2019/20; Rate: % ; Numerator: Number of area resident mothers who smoke at the time of delivery (PHOF C06), NLAG 2019/20; Denominator: All deliveries to area resident mothers , NLAG 2019/20; Notes: North Lincolnshire figure is calculated using NLAG data and does not match published figure for North Lincolnshire on Fingertips, PHE which is 16.0%.
Admissions for avoidable injury (15-24s)	Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions for unintentional and deliberate injuries for area residents (15-24yrs) (PHOF C11b), HES 2019/20; Denominator: Area resident population (persons, 0-14yrs) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts
Persons in receipt of Employment and Support Allowance (ESA) (20-64 years)	Period - Nov 2019; Rate: %; Numerator: Persons in receipt of Employment and Support Allowance (20-64 years) (cases in payment), Statxplorer (DWP) Nov 2019; Denominator: Area resident population (persons, 20-64yrs) , ONS 2019
Admissions for CHD (all ages)	Period - 2019/20; Rate: DSR per 100,000; Numerator: Admissions for CHD, primary diagnosis, elective and emergency (all ages), HES 2019/20; Denominator: Area resident population (persons, all ages) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts
Admission episodes for alcohol specific conditions	Period - 2019/20; Rate: DSR per 100,000; Numerator: Admission episodes for alcohol specific conditions, HES 2019/20; Denominator: Area resident population (persons, all ages) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts
Emergency admissions for intentional self-harm	Period - 2019/20; Rate: DSR per 100,000; Numerator: Number of emergency hospital admissions for self harm (HES), HES 2019/20; Denominator: Area resident population (persons, 0-90+yrs) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts

Indicator	Metadata Details 2021
-----------	-----------------------

Emergency hospital admissions (18-64 yrs)	Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions for area residents (18-64 yrs), HES 2019/20; Denominator: Area resident population (persons, 18-64yrs) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts
Emergency hospital admissions (65+yrs)	Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions for area residents (65+ yrs), HES 2019/20; Denominator: Area resident population (persons, 65+yrs) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts
Over 65s in receipt of attendance allowance	Period - Aug 2019; Rate: %; Numerator: Number of individuals receiving Attendance Allowance (65+), Statxplare (DWP) Aug 2019; Denominator: Area resident population 65+ , ONS 2019; Notes: Small area data does not equal the local authority total due to small area suppression and rounding. Local authority total taken separately.
Emergency admissions for falls 65+	Period - 2019/20; Rate: DSR per 100,000; Numerator: Emergency admissions for falls 65+ (PHOF C29), HES 2019/20; Denominator: Area resident population (persons, 65-90+yrs) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts
Emergency admissions for hip fracture 65+	Period - 2019/20; Rate: DSR per 100,000; Numerator: Emergency admissions for hip fracture 65+ (PHOF E13), HES 2019/20; Denominator: Area resident population (persons, 65-90+yrs) , ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts

LIFE EXPECTANCY AND MORTALITY	
Male life expectancy at birth	Period - 2017-2019; Rate: years; Numerator: Area aggregate number of resident male deaths (all ages) (PHOF A01b), ONS 2017-2019; Denominator: Area aggregate population (males, all ages) , ONS 2017-2019
Female life expectancy at birth	Period - 2017-2019; Rate: years; Numerator: Area aggregate number of resident female deaths (all ages) (PHOF A01b), ONS 2017-2019; Denominator: Area aggregate population (females, all ages) , ONS 2017-2019
All cause mortality (all ages)	Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths (all ages) (PCMD), PCMD 2017-2019; Denominator: Resident population (persons, all ages) (ONS) , ONS 2017-2019; Notes: Regional and England 2015 single year DSR. Used all deaths 2017-2019
Deaths from causes considered preventable (2016 definition)	Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths from causes considered preventable (all ages) (PCMD), PCMD 2017-2019; Denominator: Resident population (persons, all ages) (ONS) , PCMD 2014-2016; Notes: formerly PHOF 4.03 - replaced with 2019 definition (PHOF E03)
Premature (u75yrs) deaths from cancer	Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths with cancer as an underlying cause (0-74yrs) (PCMD) (PHOF E05a), PCMD 2017-2019; Denominator: Resident population (persons, 0-74yrs) (ONS) , PCMD 2017-2019; Notes: PHOF E05a
Premature (u75yrs) deaths from coronary heart diseases (CHD)	Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths with cardiovascular disease as an underlying cause (0-74yrs) (PCMD), PCMD 2017-2019; Denominator: Resident population (persons, 0-74yrs) (ONS) , PCMD 2017-2019; Notes: PHE Cardiovascular Disease Profile - Coronary heart disease mortality rates (u75yrs)
Premature (u75yrs) deaths from respiratory disease	Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths with respiratory disease as an underlying cause (0-74yrs) (PCMD) (PHOF E07a), PCMD 2017-2019; Denominator: Resident population (persons, 0-74yrs) (ONS) , PCMD 2017-2019; Notes: PHOF E07a
Percentage of deaths in usual place of residence (65+ years)	Period - 2019; Rate: %; Numerator: Percentage of persons 65+ who died either at home, in a care home or religious establishment, PCMD 2019; Denominator: All resident deaths, excluding from external causes, 65+ , PCMD 2019