www.northlincs.gov.uk





North Lincolnshire Clinical Commissioning Group


# **Bottesford Ward Profile 2021**

Part of the North Lincolnshire JSNA

These profiles aim to provide a brief picture of public health outcomes in each of North Lincolnshire's 17 electoral wards

The information contained within the profiles use the latest published data available at the time of writing.

The profiles should help us understand what factors are driving health improvement in each area. They should also help us identify where resources could be targeted to improve health and wellbeing and reduce health inequalities.




Bottesford ward is bordered by Burringham and Gunness and Brumby and Ashby wards to the north and by Ridge ward to the south.

It has a population of 10700, equivalent to 1500 residents per square kilometre, none of which live in England's 20% most deprived neighbourhoods.

The ward age profile shows a much higher proportion of residents aged 55+ than overall for North Lincolnshire and, conversely, a lower proportion of children and young adults aged 0-50.



### Population Bottesford vs North Lincolnshire



North Lincolnshire Public Health Intelligence

PHIU@northlincs.gov.uk

vf1 12/11/21 Page 1

## At a Glance - Public Health Outcomes for Bottesford Ward

Life Expectancy at Birth

**Bottesford** 

**North Lincolnshire** 





83.3 87.4


78.9 82.6 Years

#### Life expectancy at birth in Bottesford Ward is:

**4.4** Years higher for men than the average for North Linconlshire.

4.8 Years higher for women than the average for North Linconlshire.

# Premature Deaths (<75 years) (%) 2017-19



Between 2017-19 in this ward there were on average, 113 deaths a year, of which 34 were under the age of 75 years of age.

- The highest proportion of premature deaths were due to cancers (all types). The most common in this ward being due to cancers occuring in the lung and digestive organs including colorectal
- The second highest proportion of premature deaths were due to heart and circulatory diseases
- 13% The third highest proportion were due to respiratory diseases
- were due to other causes, which include diseases of the digestive system inc. liver and external causes intentional and unintentional harm.

#### In this ward:

Incidence of:

**Breast Cancer** 

is slightly below England average **Colorectal Cancer** 

isslightly above England average **Lung Cancer** 

is below England average **Prostate Cancer** 

is below England average

# In this ward there are no defined neighbourhoods (LSOAs) ranked within the 20% most deprived in the country.

All LSOAs in this ward are less deprived than average, when compared to England.

Most deprived

The map is coloured according to the national ranking of defined neighbourhoods (LSOAs) in terms of deprivation due to multiple factors including crime, education, employment, environment, health, housing and income

# **Deprivation (IMD 2019)**



Each defined neighbourhood (LSOA) contains an average of 1500 residents

North Lincolnshire Public Health Intelligence

# Wider determinants of health for Bottesford ward

Wider (or social) determinants are a diverse range of social, economic and environmental factors which impact on people's mental and physical health and are strongly linked to social inequalities



#### **Built and Natural Environment**

Fuel Poverty

Bottesford 7.2

North Lincolnshire 9.8

of households experiencing fuel poverty (2018) (note



#### Work and the Labour Market

Long-Term Unemployment Rate

Bottesford 0.9

North Lincolnshire 2.8

Rate per 1,000 working age population (2019/20) (note



#### Vulnerability

Children in Need 0-10 years
Bottesford 68.4
North Lincolnshire 140.4
Rate per 10,000 aged 0-10 (Mar 2020) (note 2)



#### Income


Income Deprivation
Bottesford 5.5
North Lincolnshire 13.3

English Indices of Deprivation, 2019 (note 4)



#### Crime

All Recorded Crime
Bottesford 57.6
North Lincolnshire 106.4






#### Education

GCSE attainment in English and Maths
Bottesford 68.5
North Lincolnshire 64.7
% NL school pupils achieving grade 4-9 in English and maths (18/19)

#### Notes

- 1: Households that spend a high proportion of combined income to maintain a reasonable temperature
- Children who require local authority services to achieve or maintain a reasonable standard of health or development and prevent significant or further harm.
- 3: People who have been unemployed for 12 months or longer
- 4: The proportion of the population experiencing deprivation related to low income

# Life expectancy at birth by ward



North Lincolnshire Public Health Intelligence

www.northlincs.gov.uk





North Lincolnshire Clinical Commissioning Group

# **Bottesford Ward 2021**

## **Ward Summary**

- Bottesford contains around 6% of the total population of North Lincolnshire, comprising significantly lower proportions of children and working age adults and significantly more 65+ year olds compared with the local authority as a whole. The proportion of children from minority ethic backgrounds is very low.
- Children living in relative low income, claimant counts and the rate of over 65s in receipt of pension credit are some of the lowest in North Lincolnshire and significantly below average.
- Police reported crime, violent crime and antisocial behaviour are all low and significantly lower than local and national averages.
- The birth rate in the ward is lower than North Lincolnshire and significantly lower than England's as a whole and low birth weight babies are rare; with less than one in twelve women smoking at delivery this is the second lowest of all wards and the proportion of mothers initiating breastfeeding is above average locally but not significantly.
- The percentage of children with a good level of development at 2½ years the highest in North Lincolnshire and significantly above the national proportion, however, readiness for school is only average. GSCE attainment is above average but not significantly.
- With one in six younger children having excess weight this is the second lowest of all wards in North Lincolnshire, however by 11 years it has risen to become the forth highest with nearly two out of five carrying excess weight.
- Children in need are amongst the lowest of all wards and children with an early help assessment are lower than the overall rate for North Lincolnshire but not significantly.
- Admissions for avoidable injury for children and young adults are similar to the North Lincolnshire average.
- The ward has the lowest percentage of residents in receipt of employment and support allowance and is amongst the lowest for over 65s in receipt of attendance allowance, both of which are significantly below local and national averages.

- Hospital admissions for coronary heart disease are similar to the local average but significantly worse than that for England.
- Whilst the rate of admission episodes for alcohol specific conditions in the ward is similar to the local average, admissions for self-harm are slightly higher although not significantly.
- The rates of emergency hospital admissions for working age adults and the elderly are significantly lower than average as are admissions for falls and hip fractures in the elderly.
- Male and female life expectancy at birth are significantly better than North Lincolnshire and England overall and the highest of all wards for females at nearly 5 years above North Lincolnshire and the second highest for males at 4½ years above.
- All cause mortality is the lowest of any ward in North Lincolnshire and deaths from preventable causes are the second lowest which is significantly better than the local and national rates.
- Whilst premature deaths from cancer are similar to the North Lincolnshire and England rates, those from coronary heart and respiratory diseases are some of the lowest in North Lincolnshire with CHD statistically lower than average.
- With only a third of residents dying at their usual place of residence, Bottesford has the lowest proportion of all wards in North Lincolnshire which is statistically worse than the local authority average.



North Lincolnshire Public Health Intelligence

| WARD PROFILE 2021 - Bottesford  |          |          |         |                         |                   |  |                   |                 |                 |                   |
|---|----------|----------|---------|-------------------------|-------------------|--|-------------------|-----------------|-----------------|-------------------|
|   |          |          | Ward    |                         |                   | All Wards (rate)                                 |                   | Scunthorpe      | North           | England           |
| Indicators  | Period   | Number   | Rate    | Direction re<br>2016/17 | Worst /<br>Lowest | ← Rank →   | Best /<br>Highest | South<br>(rate) | Lincs<br>(rate) | England<br>(rate) |
|   |          |          | OU      | R COMMUI                | VITIES            |  |                   |                 |                 |                   |
| Total resident population (%) (a)                                       | 2019     | 10682    | 6.2     | <b>V</b>                | 2.2               |  | 20.0              | 32.4            | 100.0           | na                |
| Population density (per km2) (a)  | 2019     | 10682    | 1484.8  |                         | 79.3              | للس  | 4445.4            | 2016.0          | 196.7           | 432.0             |
| Resident population 0-19 years (%) (a)                                  | 2019     | 1931     | 18.1    | •                       | 17.1              |  | 29.2              | 25.2            | 22.6            | 23.6              |
| Resident population 20-64 years (%) (a)                                 | 2019     | 5488     | 51.4    | <b>V</b>                | 51.4              |  | 64.0              | 55.6            | 56.1            | 58.0              |
| Resident population 65+ years (%) (a)                                   | 2019     | 3263     | 30.5    | <b>A</b>                | 12.3              |  | 30.5              | 19.2            | 21.3            | 18.4              |
| Proportion of population living in 20% most deprived LSOAs (%) (b)      | 2019     | 0        | 0.0     | na                      | 64.5              | <u> </u>   | 0.0               | 36.1            | 21.5            | 20.0              |
| All police recorded crime (rate per 1,000) (b)                          | 2019/20  | 615      | 57.6    |                         | 306.9             | LIIII  | 43.8              | 132.7           | 106.4           | 97.2              |
| Violent crime recorded by police (rate per 1,000) (b)                   | 2019/20  | 177      | 16.6    | <b>A</b>                | 75.6              | H1111111111                                      | 14.3              | 40.1            | 32.1            | 28.3              |
| Antisocial behaviour recorded by police (rate per 1,000) (b)            | 2019/20  | 140      | 13.1    | <b>A</b>                | 51.9              | l  | 5.3               | 24.7            | 17.7            | 21.5              |
| Children living in Relative Low Income (aged under 16) (%) (b)          | 2019/20  | 213      | 13.8    | <b>A</b>                | 36.7              | HH   | 13.0              | 25.3            | 23.4            | 19.1              |
| Claimant Count (rate per 1,000) (b)                                     | Mar 2020 | 105      | 17.9    | <b>A</b>                | 63.8              | <del>                                     </del> | 16.9              | 43.3            | 34.7            | 29.8              |
| Over 65s in receipt of Pension Credit (%) (b)                           | Aug 2019 | 198      | 6.1     | •                       | 21.3              | Hilling  | 6.1               | 14.4            | 12.6            | 13.6              |
| Resident school age children of minority ethnic groups (%) (a)          | Jan 2020 | 55       | 5.2     | na                      | 2.8               |  | 58.9              | 13.1            | 15.9            | 33.2              |
|   | СНІ      | LDREN AN | D YOUNG | PEOPLE'S                | HEALTH A          | ND WELLBEING                                     |                   |                 |                 |                   |
| Live births (general fertility rate) (Fertility rate per 1000 wcba) (a) | 2019     | 72       | 49.3    | <b>A</b>                | 42.6              |  | 69.7              | 58.4            | 56.1            | 62.5              |
| Low weight births <2500 grams (% ) (a)                                  | 2019/20  | *        | *       | •                       | 0.0               |  | 13.5              | 7.6             | 6.8             | 7.4               |
| Breastfeeding initiation (%) (c)  | 2019/20  | 50       | 69.4    |                         | 51.3              | ammuniiii  | 73.3              | 58.8            | 65.1            | 67.4              |

|   |                     | WAR    | D PROFI  | LE 2021 -               | Bottesf           | ord   |                   |                 |                 |                   |
|---|---------------------|--------|----------|-------------------------|-------------------|---|-------------------|-----------------|-----------------|-------------------|
|   |                     |        | Ward     |                         |                   | All Wards (rate)                                  |                   | Scunthorpe      | North           | En alone d        |
| Indicators Period   | Period              | Number | Rate     | Direction re<br>2016/17 | Worst /<br>Lowest | ← Rank →  | Best /<br>Highest | South<br>(rate) | Lincs<br>(rate) | England<br>(rate) |
| Children reaching good level of development (2 1/2 years) (%) (c)                     | 2018/19             | 70     | 95.9     | na                      | 78.6              |   | 95.9              | 86.3            | 88.0            | 84.1              |
| Readiness for school at 5 years of age (%) (c)  | 2018/19             | 64     | 71.1     | ▼                       | 59.8              |   | 78.4              | 73.3            | 71.7            | 71.8              |
| Children (u16) in receipt of DLA (%) (a)  | Nov 2019            | 49     | 3.2      | na                      | 3.0               | <del></del>                                       | 5.6               | 4.4             | 3.9             | 4.1               |
| Children with excess weight at 5 years of age (%) (b)                                 | 2019/20             | 15     | 16.7     | <b>V</b>                | 33.3              | HIIIIIII  | 15.4              | 22.4            | 23.0            | 23.0              |
| Children with excess weight at 11 years of age (%) (b)                                | 2019/20             | 35     | 38.9     |                         | 52.9              | Hammun.   | 23.1              | 36.8            | 35.8            | 35.2              |
| GCSE attainment (4-9) in English and Maths (%) (c)                                    | 2018/19             | 63     | 68.5     | na                      | 53.5              | <del></del>                                       | 80.0              | 60.5            | 64.7            | 64.6              |
| Children in Need 0-10 years (rate per 10,000) (b)                                     | End March<br>2020   | *      | *        | na                      | 403.3             | l   | *                 | 229.6           | 140.4           | na                |
| Children (0-17) with an Early Help Assessment (rate per 10,000) (a)                   | End March<br>2020   | 16     | 92.6     | na                      | *                 |   | 156.5             | 114.6           | 108.0           | na                |
| Admissions for avoidable injury (u15s) (rate per 10,000) (b)                          | 2019/20             | 15     | 104.2    |                         | 164.7             | Himmun.   | *                 | 118.7           | 106.7           | 91.2              |
| Emergency admissions for intentional self-harm 10-24 years (per 100,000) (b)          | 2017/18-<br>2019/20 | *      | *        |                         | 326.9             | <del>                                      </del> | *                 | 259.4           | 222.8           | 439.2             |
|   |                     |        | ADULT HE | ALTH AND                | WELLBEI           | NG  |                   |                 |                 |                   |
| Smoking at delivery (% ) (b)  | 2019/20             | *      | *        |                         | 30.8              | HIII  | *                 | 19.5            | 16.7            | 10.4              |
| Admissions for avoidable injury (15-24s) (rate per 10,000) (b)                        | 2019/20             | 10     | 113.6    |                         | 189.4             | HIIII   | *                 | 109.6           | 105.1           | 132.1             |
| Persons in receipt of Employment and Support<br>Allowance (ESA) (20-64 years) (%) (b) | Nov 2019            | 173    | 3.2      | •                       | 7.8               | <del>                                     </del>  | 3.2               | 5.5             | 4.7             | 4.7               |
| Admissions for CHD (all ages) (DSR per 100,000) (b)                                   | 2019/20             | 95     | 642.3    | na                      | 1074.4            | Himmun  | 399.9             | 708.7           | 705.7           | 469.9             |
| Admission episodes for alcohol specific conditions (DSR per 100,000) (b)              | 2019/20             | 50     | 509.8    |                         | 1124.8            | <u>                                     </u>      | 150.6             | 697.6           | 517.1           | 644.0             |
| Emergency admissions for intentional self-harm (DSR per 100,000) (b)                  | 2019/20             | 20     | 215.1    |                         | 303.0             | H111111111111                                     | 46.9              | 213.6           | 155.3           | 192.6             |

vf1 12/11/21 Page 6

| WARD PROFILE 2021 - Bottesford   |           |                       |          |                         |                   |  |                   |                 |                 |                   |
|--|-----------|-----------------------|----------|-------------------------|-------------------|--|-------------------|-----------------|-----------------|-------------------|
|  |           | Ward All Wards (rate) |          |                         | Scunthorpe        | North  | - Frankrich       |                 |                 |                   |
| Indicators   | Period    | Number                | Rate     | Direction re<br>2016/17 | Worst /<br>Lowest | ← Rank →   | Best /<br>Highest | South<br>(rate) | Lincs<br>(rate) | England<br>(rate) |
| Emergency hospital admissions (18-64 yrs) (rate per 10,000) (b)                    | 2019/20   | 415                   | 729.2    |                         | 1194.7            | HIIIII   | 620.5             | 958.9           | 820.0           | na                |
| Emergency hospital admissions (65+yrs) (rate per 10,000) (b)                       | 2019/20   | 725                   | 2221.9   |                         | 3802.9            | HIIII  | 1873.7            | 2946.7          | 2679.0          | na                |
| Over 65s in receipt of attendance allowance (%) (b)                                | Aug 2019  | 344                   | 10.5     | ▼                       | 16.5              | Hilliania.                                       | 8.6               | 13.2            | 12.0            | 11.7              |
| Emergency admissions for falls 65+ (DSR per 100,000) (b)                           | 2019/20   | 30                    | 867.1    | ▼                       | 3455.5            | <u> </u>   | 852.6             | 1342.6          | 1575.3          | 2222.0            |
| Emergency admissions for hip fracture 65+ (DSR per 100,000) (b)                    | 2019/20   | 10                    | 279.0    |                         | 1738.3            | <u> </u>   | 121.9             | 471.1           | 580.2           | 572.0             |
|  |           | Li                    | FE EXPEC | TANCY AND               | MORTAL            | .ITY   |                   |                 |                 |                   |
| Male life expectancy at birth (years) (c)  | 2017-2019 | na                    | 83.3     | <b>A</b>                | 74.6              |  | 84.3              | 78.3            | 78.9            | 79.8              |
| Female life expectancy at birth (years) (c)  | 2017-2019 | na                    | 87.4     |                         | 79.3              |  | 87.4              | 82.0            | 82.6            | 83.4              |
| All cause mortality (all ages) (DSR per 100,000) (a)                               | 2017-2019 | 338                   | 721.9    | ▼                       | 721.9             |  | 1395.5            | 1043.1          | 1007.9          | 0.0               |
| Deaths from causes considered preventable (2016 definition) (DSR per 100,000) (b)  | 2017-2019 | 48                    | 110.1    | •                       | 316.4             | <del>                                     </del> | 105.6             | 219.1           | 192.3           | 180.8             |
| Premature (u75yrs) deaths from cancer (DSR per 100,000) (b)                        | 2017-2019 | 53                    | 134.9    |                         | 180.8             | Hilling Harris                                   | 87.3              | 154.1           | 136.9           | 129.2             |
| Premature (u75yrs) deaths from coronary heart diseases (CHD) (DSR per 100,000) (b) | 2017-2019 | *                     | 8.6      | _                       | 73.1              | HIIII  | 8.6               | 41.2            | 37.1            | 37.5              |
| Premature (u75yrs) deaths from respiratory disease (DSR per 100,000) (b)           | 2017-2019 | 13                    | 28.8     | <b>A</b>                | 98.6              | Hummun   | 16.8              | 50.1            | 45.3            | 34.2              |
| Percentage of deaths in usual place of residence (65+ years) (%) (c)               | 2019      | 36                    | 35.3     | •                       | 35.3              |  | 60.7              | 46.2            | 48.3            | 0.0               |

Statistical significance of rates relative to North Lincolnshire average (95% CI)

Better Worse Lower Higher

The chart shows the appropriate rate for each ward with the profiled ward highlighted in black. Where shown, the horizontal line represents the North Lincolnshire average rate. The direction of travel is relative to the last set of published profiles - in this case 2016/17. \* Numbers of 7 or less and associated crude rates or proportions have been suppressed. Higher rate values can be categorised as (a) higher than average; (b) worse than average; (c) better than average.

vf1 12/11/21 Page 7

| Indicator | Metadata Details 2021 |
|-----------|-----------------------|
|           |                       |

|                                 | OUR COMMUNITIES  |
|---------------------------------|--|
| Tatal vasidant vasulation       | Period - 2019; Rate: %; Numerator: Area resident population (persons, all ages), ONS 2019;           |
| Total resident population       | Denominator: North Lincolnshire resident population (persons, all ages) , ONS 2019                   |
| Danislation density             | Period - 2019; Rate: per km2; Numerator: Area resident population (persons, all ages), ONS 2019;     |
| Population density              | Denominator: Geographical area , OS 2019   |
| Desident negulation 0.10 years  | Period - 2019; Rate: %; Numerator: Area resident population (persons, 0-19yrs), ONS 2019;            |
| Resident population 0-19 years  | Denominator: Area resident population (persons, all ages), ONS 2019                                  |
| Resident population 20-64       | Period - 2019; Rate: %; Numerator: Area resident population (persons, 20-64yrs), ONS 2019;           |
| years                           | Denominator: North Lincolnshire resident population (persons, all ages) , ONS 2019                   |
| Desident requilation CF :       | Period - 2019; Rate: %; Numerator: Area resident population (persons, 65+yrs), ONS 2019;             |
| Resident population 65+ years   | Denominator: North Lincolnshire resident population (persons, all ages) , ONS 2019                   |
|                                 | Period - 2019; Rate: %; Numerator: Area population living in 2 most deprived national deciles        |
| Proportion of population living | (IMD 2019) (persons), ONS 2019; Denominator: Population living in North Lincolnshire (persons,       |
| in 20% most deprived LSOAs      | all ages), ONS 2019  |
|                                 | Period - 2019/20; Rate: rate per 1,000; Numerator: crimes recorded by police, Police Data            |
|                                 | 2019/20; Denominator: Population living in North Lincolnshire (persons, all ages), ONS 2019;         |
| A.I. I.                         | Notes: England and Wales figure from Crime in England and Wales: year ending March 2020 -            |
| All police recorded crime       | other related tables, Figure 1: Police recorded crime and anti-social behaviour incicdents in        |
|                                 | England and Wales, March 2008 to year end March 2020.  |
|                                 | Previous data from 16/17 from different source so may not be comparable.                             |
|                                 | Period - 2019/20; Rate: rate per 1,000; Numerator: number of 'violence against the person'           |
|                                 | crimes recorded by police, Police Data 2019/20; Denominator: Population living in North              |
| Violent crime recorded by       | Lincolnshire (persons, all ages), ONS 2019; Notes: England and Wales figure from: Crime in           |
| police                          | England and Wales, Year Ending March 2020. Summary Table 3: Police recorded crimes - rate            |
| •                               | number percentage change for year ending march 2020.   |
|                                 | Previous data from 16/17 from different source so may not be comparable.                             |
|                                 | Period - 2019/20; Rate: rate per 1,000; Numerator: Number of Antisocial behaviour related            |
|                                 | crimes recorded by police, Police Data 2019/20; Denominator: Population living in North              |
|                                 | Lincolnshire (persons, all ages), ONS 2019; Notes: England and Wales Figures from: Crime in          |
| Antisocial behaviour recorded   | England and Wales: Year Ending March 2020 - Other Related Tables Figure 1: Police recorded           |
| by police                       | crime and anti-social behaviour incidents in England and Wales, year ending March 2008 to year       |
|                                 | ending March 2020. Figure does not include British Transport Police anti-social behaviour            |
|                                 | incidents.   |
|                                 | Previous data from 16/17 from different source so may not be comparable.                             |
|                                 | Period - 2019/20; Rate: %; Numerator: Children living in Relative Low Income (aged under 16),        |
|                                 | DWP 2019/20; Denominator: Area resident population (persons, 0-15yrs), ONS 2019; Notes:              |
|                                 | 2019/20 provisional figures. Relative low-income is defined as a family whose equivalised income     |
| Children living in Relative Low | is below 60 per cent of contemporary median income. Gross income measure is Before Housing           |
| Income (aged under 16)          | Costs (BHC) and includes contributions from earnings, state support and pensions. Total of figures   |
|                                 | from each ward does not match North Lincolnshire figure due to statistical disclose controls         |
|                                 | applied by the DWP. England Figures from Fingertips, PHE.  |
|                                 | applied by the DWF. Eligiand Figures from Fingertips, Fric.  |
|                                 | Period - Mar 2020; Rate: rate per 1,000; Numerator: Claimant Count, NOMIS Mar 2020;                  |
|                                 | Denominator: Area resident population (persons, 16-64yrs) , ONS 2019; Notes: Under Universal         |
|                                 | Credit a broader span of claimants are required to look for work than under Jobseeker's              |
|                                 | Allowance. As Universal Credit Full Service is rolled out in particular areas, the number of people  |
|                                 | recorded as being on the Claimant Count is therefore likely to rise. This experimental series counts |
| Claimant Count                  | the number of people claiming Jobseeker's Allowance plus those who claim Universal Credit and        |
|                                 | are required to seek work and be available for work, and replaces the number of people claiming      |
|                                 | Jobseeker's Allowance as the headline indicator of the number of people claiming benefits            |
|                                 | <u> </u>   |
|                                 | principally for the reason of being unemployed. All data are rounded to the nearest 5 and may        |
|                                 | not precisely add to the sum of the number of people claiming JSA, published on Nomis, and the       |
|                                 | number of people claiming Universal Credit required to seek work, published by DWP, due to           |
|                                 | independent rounding. Population data for Mar 17 from is 2016 mid year population estimates.         |
|                                 | reconnación data do mar el como is 2006 millo Mear DODURADO DESTINATES                               |

North Lincolnshire Public Health Intelligence PHIU@northlincs.gov.uk

| Indicator Metadata Details 2021 |
|---------------------------------|
|---------------------------------|

| Over 65s in receipt of Pension<br>Credit               | Period - Aug 2019; Rate: %; Numerator: Number of individuals receiving pension credit (65+), Statxplore (DWP) Aug 2019; Denominator: Area resident population 65+, ONS 2019; Notes: The data is rounded to the nearest 5 and there is small number suppression on small area data.  |
|--|---|
| Resident school age children of minority ethnic groups | Period - Jan 2020; Rate: %; Numerator: Children in local schools, in R - Yr 11 resident in LA, with ethnicity not within White British groupings, School Census Jan 2020; Denominator: All resident children in local schools , School Census Jan 20; Notes: North Lincolnshire and ward figures include pupils in referal units and special schools who are in receiption to year 11. England figure from Jan 2020 (latest published data) is total of primary and secondary school pupils. This includes pupils who are below receiption age and in years 12 to 14 who are attending primary or secondary schools. Previous England figure is from January 2017 and only includes compulsory school age primary and secondary pupils, who were in receiption to year 11. The equivalent figure for January 2020 is no longer available due to changes in the way the data is published. |

| CH  | HILDREN AND YOUNG PEOPLE'S HEALTH AND WELLBEING  |
|---|--|
| Live births (general fertility rate)                      | Period - 2019; Rate: Fertility rate per 1000 wcba; Numerator: Live births to area resident mothers, ONS 2019; Denominator: Area resident women of child bearing age population (female, 15-44yrs), ONS 2019; Notes: England figure lastest available from 2016, from Fingertips (PHE)  |
| Low weight births <2500 grams                             | Period - 2019/20; Rate: %; Numerator: Live births to area resident mothers where birth weight is <2500 grams (NLAG), NLAG 2019/20; Denominator: All live births to area resident mothers, NLAG 2019/20; Notes: Regional and national figures are from Fingertips, PHE and relate to 2018 calendar year. More recent data and data for financial year is not available.   |
| Breastfeeding initiation                                  | Period - 2019/20; Rate: %; Numerator: Number of area resident mothers who initiate breastfeeding during first 48 hours after delivery (PHOF formerly 2.02i), NLAG May 17; Denominator: All deliveries to area resident mothers, NLAG 2019/20; Notes: Regional and England figure relate to 2018/19 which is the lastest information available.   |
| Children reaching good level of development (2 1/2 years) | Period - 2018/19; Rate: %; Numerator: Number of area resident children who passed all five elements of their 2.5 year health and development review, RDaSH 2018/19; Denominator: Number of area resident children who completed 2.5 year health and development review, RDaSH 2018/19; Notes: Calculated figure for North Lincolnshire differs slighlty from official figure of 88.1% on fingertips for 2018/19.   |
| Readiness for school at 5 years of age                    | Period - 2018/19; Rate: %; Numerator: rate of children achieving A Good Level of Development at the end of reception as % all like aged pupils (PHOF B02a), NCER 2018/19; Denominator: Resident Children attending local schools reaching age 5 by end of School Year, NCER 2018/19; Notes: The North Lincolnshire average is from published data does not correspond with the totals from each ward.  |
| Children (u16) in receipt of DLA                          | Period - Nov 2019; Rate: %; Numerator: Persons in receipt of Disability Living Allowance (0-15 years) (cases in payment), Statxplore (DWP) Nov 2019; Denominator: Area resident population (persons, 0-15yrs), ONS 2019; Notes: Calculated North Lincolnshire figure used from total of ward numbers. This differs from the published North Lincolnshire figure (1263 claimants) due to the disclosure control applied by the DWP. Comparator year not available as prior to May 2018 ward geography is not available. |
| Children with excess weight at 5 years of age             | Period - 2019/20; Rate: %; Numerator: Resident children with excess weight (overweight or obese) at 5 years of age (PHOF C09a), PHE 2019/20; Denominator: Resident 4-5 year olds participating in NCMP, PHE 2019/20; Notes: North Lincs figures are from Fingertips, PHE.  |
| Children with excess weight at 11 years of age            | Period - 2019/20; Rate: %; Numerator: Resident children with excess weight (overweight or obese) at 11 years of age (PHOF C09b), PHE 2019/20; Denominator: Resident 10-11 year olds participating in NCMP, PHE 2019/20; Notes: North Lincolnshire average is from fingertips, PHE. Total numbers from each ward do not match published fingers due to rounding.  |

North Lincolnshire Public Health Intelligence PHIU@northlincs.gov.uk

| Indicator                       | Metadata Details 2021  |  |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|--|--|
|                                 |  |  |  |  |  |  |  |
|                                 | Period - 2018/19; Rate: %; Numerator: Pupils achieving 4+ in both English and Maths GCSE           |  |  |  |  |  |  |
|                                 | examinations, NCER 2018/19; Denominator: Pupils entered for GCSE examinations in N Lincs           |  |  |  |  |  |  |
| GCSE attainment (4-9) in        | schools, NCER 2018/19; Notes: The 2018/19 data for North Lincolnshire is provisional data. North   |  |  |  |  |  |  |
| English and Maths               | Lincolnshire figure is from NCER and does not match published figure of 65.1% (1088 pupils). The   |  |  |  |  |  |  |
|                                 | England figure is for all state-funded schools from the 2019 KS4 revised national tables published |  |  |  |  |  |  |
|                                 | by the DfE.  |  |  |  |  |  |  |
|                                 | Period - End March 2020; Rate: rate per 10,000; Numerator: Children in Need aged 0-10, NLC End     |  |  |  |  |  |  |
| Children in Need 0-10 years     | March 2020; Denominator: Area resident population (persons, 0-10yrs), ONS 2019; Notes: Does        |  |  |  |  |  |  |
| Cilidren in Need 0-10 years     | not inculde cases marked as other or OLA (child looked after by another authority, living in our   |  |  |  |  |  |  |
|                                 | authority).  |  |  |  |  |  |  |
| Children (0-17) with an Early   | Period - End March 2020; Rate: rate per 10,000; Numerator: Current EHA as at March 31st 2020,      |  |  |  |  |  |  |
| Help Assessment                 | aged 0-17, NLC End March 2020; Denominator: Area resident population (persons, 0-17yrs), ONS       |  |  |  |  |  |  |
| Tielp Assessment                | 2019   |  |  |  |  |  |  |
|                                 | Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions        |  |  |  |  |  |  |
| Admissions for avoidable injury | for unintentional and deliberate injuries for area residents (0-14yrs) (PHOF C11a), HES 2019/20;   |  |  |  |  |  |  |
| (u15s)                          | Denominator: Area resident population (persons, 0-14yrs), ONS 2019; Notes: Counts have been        |  |  |  |  |  |  |
| (4155)                          | rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and       |  |  |  |  |  |  |
|                                 | confidence intervals are calculated on raw counts  |  |  |  |  |  |  |
|                                 | Period - 2017/18-2019/20; Rate: per 100,000; Numerator: Number of emergency hospital               |  |  |  |  |  |  |
| Emergency admissions for        | admissions for self harm (HES), HES 2017/18-2019/20; Denominator: Area resident population         |  |  |  |  |  |  |
| intentional self-harm 10-24     | (persons, 10-24yrs), ONS 2017-2019; Notes: Counts have been rounded to nearest 5 per HES           |  |  |  |  |  |  |
| years                           | disclosure guidance. Rates are calculated on rounded counts and confidence intervals are           |  |  |  |  |  |  |
|                                 | calculated on raw counts; local data is 3 year pooled compared with region and national data       |  |  |  |  |  |  |

which is single year

calculated on raw counts; local data is 3year pooled compared with region and national data

| ADULT HEALTH AND WELLBEING   |  |  |  |  |  |
|--|--|--|--|--|--|
| Smoking at delivery  | Period - 2019/20; Rate: %; Numerator: Number of area resident mothers who smoke at the time of delivery (PHOF C06), NLAG 2019/20; Denominator: All deliveries to area resident mothers, NLAG 2019/20; Notes: North Lincolnshire figure is calculated using NLAG data and does not match published figure for North Lincolnshire on Fingertips, PHE which is 16.0%.   |  |  |  |  |
| Admissions for avoidable injury (15-24s)   | Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions for unintentional and deliberate injuries for area residents (15-24yrs) (PHOF C11b), HES 2019/20; Denominator: Area resident population (persons, 0-14yrs), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts |  |  |  |  |
| Persons in receipt of<br>Employment and Support<br>Allowance (ESA) (20-64 years) | Period - Nov 2019; Rate: %; Numerator: Persons in receipt of Employment and Support Allowance (20-64 years) (cases in payment), Statxplore (DWP) Nov 2019; Denominator: Area resident population (persons, 20-64yrs), ONS 2019   |  |  |  |  |
| Admissions for CHD (all ages)  | Period - 2019/20; Rate: DSR per 100,000; Numerator: Admissions for CHD, primary diagnosis, elective and emergency (all ages), HES 2019/20; Denominator: Area resident population (persons, all ages), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts   |  |  |  |  |
| Admission episodes for alcohol specific conditions                               | Period - 2019/20; Rate: DSR per 100,000; Numerator: Admission episodes for alcohol specific conditions, HES 2019/20; Denominator: Area resident population (persons, all ages), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts   |  |  |  |  |
| Emergency admissions for intentional self-harm                                   | Period - 2019/20; Rate: DSR per 100,000; Numerator: Number of emergency hospital admissions for self harm (HES), HES 2019/20; Denominator: Area resident population (persons, 0-90+yrs), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts  |  |  |  |  |

North Lincolnshire Public Health Intelligence PHIU@northlincs.gov.uk

| Indicator Metadata Details 2021 |  |
|---------------------------------|--|
|---------------------------------|--|

|   | <del>,</del>   |
|---|--|
| Emergency hospital admissions (18-64 yrs)   | Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions for area residents (18-64 yrs), HES 2019/20; Denominator: Area resident population (persons, 18-64yrs), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts |
| Emergency hospital admissions (65+yrs)      | Period - 2019/20; Rate: rate per 10,000; Numerator: Number of emergency hospital admissions for area residents (65+ yrs), HES 2019/20; Denominator: Area resident population (persons, 65 +yrs), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts    |
| Over 65s in receipt of attendance allowance | Period - Aug 2019; Rate: %; Numerator: Number of individuals receiving Attendance Allowance (65+), Statxplore (DWP) Aug 2019; Denominator: Area resident population 65+, ONS 2019; Notes: Small area data does not equal the local authority total due to small area suppression and rounding. Local authority total taken separately.   |
| Emergency admissions for falls 65+          | Period - 2019/20; Rate: DSR per 100,000; Numerator: Emergency admissions for falls 65+ (PHOF C29), HES 2019/20; Denominator: Area resident population (persons, 65-90+yrs), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts                         |
| Emergency admissions for hip fracture 65+   | Period - 2019/20; Rate: DSR per 100,000; Numerator: Emergency admissions for hip fracture 65+ (PHOF E13), HES 2019/20; Denominator: Area resident population (persons, 65-90+yrs), ONS 2019; Notes: Counts have been rounded to nearest 5 per HES disclosure guidance. Rates are calculated on rounded counts and confidence intervals are calculated on raw counts                  |

| LIFE EXPECTANCY AND MORTALITY                                      |   |
|--|---|
| Male life expectancy at birth                                      | Period - 2017-2019; Rate: years; Numerator: Area aggregate number of resident male deaths (all ages) (PHOF A01b), ONS 2017-2019; Denominator: Area aggregate population (males, all ages), ONS 2017-2019  |
| Female life expectancy at birth                                    | Period - 2017-2019; Rate: years; Numerator: Area aggregate number of resident female deaths (all ages) (PHOF A01b), ONS 2017-2019; Denominator: Area aggregate population (females, all ages), ONS 2017-2019  |
| All cause mortality (all ages)                                     | Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths (all ages) (PCMD), PCMD 2017-2019; Denominator: Resident population (persons, all ages) (ONS), ONS 2017-2019; Notes: Regional and England 2015 single year DSR. Used all deaths 2017-2019   |
| Deaths from causes considered preventable (2016 definition)        | Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths from causes considered preventable (all ages) (PCMD), PCMD 2017-2019; Denominator: Resident population (persons, all ages) (ONS), PCMD 2014-2016; Notes: formerly PHOF 4.03 - replaced with 2019 definition (PHOF E03)                                      |
| Premature (u75yrs) deaths from cancer                              | Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths with cancer as an underlying cause (0-74yrs) (PCMD) (PHOF E05a), PCMD 2017-2019; Denominator: Resident population (persons, 0-74yrs) (ONS), PCMD 2017-2019; Notes: PHOF E05a  |
| Premature (u75yrs) deaths<br>from coronary heart diseases<br>(CHD) | Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths with cardiovascular disease as an underlying cause (0-74yrs) (PCMD), PCMD 2017-2019; Denominator: Resident population (persons, 0-74yrs) (ONS), PCMD 2017-2019; Notes: PHE Cardiovascular Disease Profile - Coronary heart disease mortality rates (u75yrs) |
| Premature (u75yrs) deaths from respiratory disease                 | Period - 2017-2019; Rate: DSR per 100,000; Numerator: Number of resident deaths with respiratory disease as an underlying cause (0-74yrs) (PCMD) (PHOF E07a), PCMD 2017-2019; Denominator: Resident population (persons, 0-74yrs) (ONS), PCMD 2017-2019; Notes: PHOF E07a   |
| Percentage of deaths in usual place of residence (65+ years)       | Period - 2019; Rate: %; Numerator: Percentage of persons 65+ who died either at home, in a care home or religious establishment, PCMD 2019; Denominator: All resident deaths, excluding from external causes, 65+, PCMD 2019  |

North Lincolnshire Public Health Intelligence